

**SPECIFICATION DATA CARD FOR
TOYOTA HIACE AMBULANCE- Paramed International
3.5L PETROL MANUAL GEARBOX**

MODEL NUMBER	GRH322L-EDFQHV
DRIVE TRAIN SYSTEM	
FRONT DRIVE OR AXLE DRIVE	AXLE DRIVE
4WD OR 2WD	2 WD
YEAR OF MANUFACTURE	2022
MANUFACTURE COUNTRY	JAPAN
SUITABLE FOR TROPICAL & DUSTY WEATHER	YES
SUITABLE FOR LOCAL FUEL (GASOLINE / OCTANE & LEADED)	YES
NO. OF SEATS	2 SEATS
NO OF DOORS	4 DOORS
DIAMENSIONS	MM
OVERALL LENGTH (O . A . L)	5915
OVERALL WIDTH (O . O . W)	1950
OVERALL HEIGHT (O . A . H)	2280
WHEEL BASE (W . B)	3860
ENGINE	
MODEL & ORIGIN	3.5L
TYPE	DOHC
NO. OF CYLINDER	6 CYL 24 VALVE
PISTON DISPLACEMENT	3456 CC
MAX POWER / SPEED (HP / R.P.M)	276 HP/6000 RPM
NET TORQUE/ SPEED(KG.M/R.P.M)	269 NM/4800 RPM
FUEL SYSTEM	DOHC, VVT-I


ر. مهندسین اقدم
نجم عبد شهبوي
ر. لجنة

ر. مهندسین اقدم
ماجد عزيز جبر
عضو

ر. مهندسین اقدم
محمد عباس حسين
عضو

ر. مهندسین اقدم
مخلد خليل اسماعيل
عضو

ر. مهندسین اقدم
ندیم محمود شاكر
عضو



**SPECIFICATION DATA CARD FOR
TOYOTA HIACE AMBULANCE- Paramed International
3.5L PETROL MANUAL GEARBOX**

FUEL TANK	70 L
TRANSMISSION	6 SPEED MANUAL
TIRE & WHEEL	235/65R16C SPARE TIRE
SUSPENSION SYSTEM	
FRONT	MCPHERSON , STURT
REAR	LEAF SPRING , RIGID
BRAKE SYSTEM	
FRONT	VENTILATED DISC
REAR	LEADING-TRAILING DRUM BRAKE
ABS	WITH
STEERING SYSTEM	
POWER STEERING	WITH
TILT ADJUSTABLE STEERING WHEEL	WITH
INTERIOR EQUIPMENT	
AIR CONDITION	WITH
METER ILLUMINATION CONTROL	WITH
MAX SPEED (KM / HR)	200 KM / HR
CIGARETTE LIGHTER & ASHTRAY	WITH
SUN VISORS FRONT PASSENGER & DRIVER	WITH
WIPER FR & RR	INTERMITTENT
OTHER	
SIDE IMPACT BEAM	WITH
AIR BAG	D+P

ر. مهندسين أقدم
نجم عبد شهوبي
ر. لجنة

ر. مهندسين أقدم
ماجد عزيز جبر
عضو

ر. مهندسين أقدم
محمد عباس حسين
عضو

ر. مهندسين أقدم
مخالد خليل أسماعيل
عضو

ر. مهندسين أقدم
نديم محمود شاكر
عضو



**SPECIFICATION DATA CARD FOR
TOYOTA HIACE AMBULANCE- Paramed International
3.5L PETROL MANUAL GEARBOX**

MUD GUARDSFR. & RR.	WITH
WINDSHIELD GLASS	GREEN LAMINATED
HIGH MOUNT STOP LAMP	WITH
FUEL LID OPENER	WITH
SEAT MATERIAL	SUPERIOR FABRIC
SEAT BELT	FR. SEAT BELT
HEAD REST	WITH
FR. SPOT LAMP	WITH
DIGITAL CLOCK	WITH
INNER REARVIEW MIRRORS	DAY / NIGHT
SUN VISOR	D+P (FABRIC)
POWER DOOR LOCK	WITH
RADIO	AM / FM
CASSETTE STEREO	CD/MP3 4 SPK
AC/HEATER	FR+RR
HIGH-SECURITY LOCKS ON ENTRY POINT, WITH SEPARATE KEYS FOR SIDE CARGO DOOR.	WITH
HIGH SECURITY LOCK, A LATCH AND SOLENOID AT CARGO DOOR OPERABLE BY KEY FROM GUARD COMPARTMENT OR DRIVER PUSH BUTTON.	WITH
SCRATCH RESISTANT STAINLESS STEEL PLATES AT OUTSIDE-KEYED ENTRY POSITIONS.	WITH
HD NYLON RETAINER STRAPS AT ALL DOORS TO REDUCE HINGE WEAR	WITH
REAR SWING OUT CARGO DOORS TO CLOSE PERMANENTLY OR AS REQUIRED	WITH

ر. مهندسين أقدم
نجم عبد شهبوي
ر. لجنة

ر. مهندسين أقدم
ماجد عزيز جبر
عضو

ر. مهندسين أقدم
محمد عباس حسين
عضو


ر. مهندسين أقدم
مخلد خليل أسماعيل
عضو


ر. مهندسين أقدم
نديم محمود شاكر
عضو




**SPECIFICATION DATA CARD FOR
TOYOTA HIACE AMBULANCE- Paramed International
3.5L PETROL MANUAL GEARBOX**


SWITCHED DOME LIGHT IN FRONT CAB AREA.	WITH
SINGLE SWITCHED DOME LIGHTS IN REAR CARGO AREA ALSO OPERABLE BY CARGO DOOR OPERATIONS.	WITH
ALL EXPOSED WIRING FITTED IN PLASTIC SLEEVED LOOMS, SECURELY ATTACHED WITH QUALITY WORKMANSHIP TO ENSURE DURABILITY AND ACCESSIBILITY.	WITH
ALUMINUM CHECKER PLATE IN PASSENGER/GUARD COMPARTMENT, EXCLUDING FRONT SEATS AREA.	WITH
QUALITY PRIMER AND PAINT APPLIED TO ALL PAINTED SURFACES.	WITH
DEAD BOLTS AT FRONT DRIVER & CO-DRIVER DOORS AS WELL AS MESSENGER'S COMPARTMENT SIDE ENTRY DOOR.	WITH
ADDITIONAL SEATING FOR TWO (OR AS REQUIRED) OCCUPANTS WITH SEAT BELTS IN MESSENGER COMPARTMENT.	WITH



ر. مهندسين أقدم
نجم عبد شهبوي
ر. لجنة


ر. مهندسين أقدم
ماجد عزيز جبر
عضو


ر. مهندسين أقدم
محمد عباس حسين
عضو


ر. مهندسين أقدم
مخلد خليل أسما عيل
عضو





ر. مهندسين أقدم
نديم محمود شاكر
عضو



مجلس المهندسين العراقيين
الكويت - العراق
6/6/2012


**SPECIFICATION DATA CARD FOR
TOYOTA HIACE AMBULANCE- Paramed International
3.5L PETROL MANUAL GEARBOX**

AMBULANCE EQUIPMENTS:


ملاحظة: الجزء التخصصي تترك قبول مواصفاته الى الجهة المستفيدة وليس من مسؤولية اللجنة.

1 -C	Sub-structure, Insulation, Reinforcement of Patient's Cabin	
2 -C	Bulk Head (Partition Wall) with Sliding Window -TURKEY <i>Full width and height partition bulkhead separates the driver and patient compartments,with sliding window for visual and sound communications.Partition separating the driver and patient compartment with sliding glass window for communication to be provided.</i>	
3 -C	Marine Plywood Flooring with Vinyl Coating (Waterproof) <i>Made of marine plywood and covered with heavy duty vinyl, washable, fungi and bacteria resistance. With 5cm roll up on the sides with alum.trim.</i>	
4 -C	No sharp edges.All the corners and the edges of the cabinets to be covered with aluminum corner moldings	
5 -C	Rear Step <i>Made of corrugated aluminum rear step with gas spring and fabricated and fixed on the rear entrance.</i>	
6 -C	Grip Rod to be fitted on the roof ceiling for hand grip. -Overhead Grab Handle -FREE OF CHARGE <i>Made of stainless tube mounted on the ceiling.</i>	
7 -C	Electrical and Electronic system with Control Panel	
8 -C	Electrical Wiring with Insulation	
9 -C	Electrical Control Panel/ Fuse Box	



ر. مهندسين أقدم
نجم عبد شهوبي
ر. لجنة


ر. مهندسين أقدم
ماجد عزيز جبر
عضو




ر. مهندسين أقدم
محمد عباس حسين
عضو



ر. مهندسين أقدم
مخلد خليل اسماعيل
عضو



ر. مهندسين أقدم
نديم محمود شاكر
عضو




**SPECIFICATION DATA CARD FOR
TOYOTA HIACE AMBULANCE- Paramed International
3.5L PETROL MANUAL GEARBOX**

10-C	3 Electrical Outlets (12V) 12 V Power Socket: Provide 3 NOs 12 V Power Sockets on Action	
11-C	Board area. 2 Electrical Outlet (220V) Provide AC Dual Socket 2 Nos on Action Board Area with On/Off Switch and Safety Circuit Breaker	
12-C	Extra Battery + Inverter AC/DC power supply with 12 v into 220 v inverter & 220V outlet: Install Dc to Ac Invertor (12V /240V) with External Power Socket for charging Medical Equipment	
13-C	Shoreline Outlet- 220 volts input with socket and plug and extension	
14-C	15 meter electric cable for shoreline power Intercom Set -communication between the driver and patient's cabin	
15 -C	Air Conditioning /Heater System for Patient's Cabin <i>Standard Factory Air Conditioning and Heater for both driver's and patient's cabin (with individual AC vents). Aluminum Powder Coated Ceiling with A/C Channels</i>	
16 -C	Roof Type Ventilation Fan -Inlet/Outlet -France <i>Well designed ceiling mounted one way extractor which eliminates air and odours from the patient compartment and disposes outside the ambulance. Nominal Voltage:12VDC</i>	



ر. مهندسين أقدم
نجم عبد شهوبي
ر. لجنة


ر. مهندسين أقدم
ماجد عزيز جبر
عضو





ر. مهندسين أقدم
محمد عباس حسين
عضو



ر. مهندسين أقدم
مخلد خليل اسماعيل
عضو


ر. مهندسين أقدم
نديم محمود شاكر
عضو



2027


**SPECIFICATION DATA CARD FOR
TOYOTA HIACE AMBULANCE- Paramed International
3.5L PETROL MANUAL GEARBOX**


<p>17 -C</p>	<p>Medical Cabinet with Stainless Steel Panel for Installation of Medical Equipments such as Defibrillator, Ventilator, Suction Pump, Syringe Pump and etc. <i>The cabinets are constructed of PVC Integra Sheet with High Impact Strength, low flamability, Good Sound & Thermal Insulation, Non Corrosive and Resistance to Oscillation & Vibration . Fitted to the left side of the patient compartment from floor to ceiling. Equipped with storage for medication and consumables.</i></p> <p>Interior baby lights inside the top cabinets Action Board area with advance and electrical and electric control panel to be provided at Left Hand Side.</p>	
<p>18-C</p>	<p>Seat Tip-up Squad Bench with under seat storage area, Back Rests with the retractable seat belts <i>A Steel Tip-up Squad Bench with under seat storage area, Back Rests and Seatbelts The flip up seat are large enough for three seated person, and fitted with two hydraulic/ gas pressured hinges.</i></p>	
<p>19-C</p> <p>Attendant Seat:</p> <p>20 -C</p>	<p>Waste Bin</p> <p>Technician's Seat with Seat belt - TURKEY <i>Single foldable seat, with swiveling mechanism, adjustable headrest, 3 point automatic safety belt (European standards) and artificial leather upholstery.</i></p>	
<p>21 -C</p>	<p>General & Complete various LED lighting of Patient's Cabin</p>	



ر. مهندسین أقدم
نجم عبد شهبوي
ر. لجنة


ر. مهندسین أقدم
ماجد عزيز جبر
عضو


ر. مهندسین أقدم
محمد عباس حسين
عضو


ر. مهندسین أقدم
مخاد خليل اسماعيل
عضو



ر. مهندسین أقدم
ندیم محمود شاكر
عضو



ممثل الشركة العامة
6/2027

**SPECIFICATION DATA CARD FOR
TOYOTA HIACE AMBULANCE- Paramed International
3.5L PETROL MANUAL GEARBOX**


Alarm /Siren:

23 -C	Public Address Alarm and LED Lightbar Size: Length: 1200mm, Width: 305mm, Height: 55mm; Voltage: DC12V;Flashing Type: LED Strobe;Including 100W siren,speakerµphone	
24 -C	Siren System, Amplifier and Microphone Accessories: (1) Microphone (2) Speaker 100W (3) Connecting wires (4) Bolts screw and Fuses	
25 -C	Side Lights, 2 each sides	
26 -C	2 Strobe LED Lights Size: Base Diameter: 162mm, Height: 128mm Voltage: DC12V, cigar lighter plug Flashing type: LED Strobe Color Option: Red, Blue or Amber	
27 -C	Flood Light, rear of ambulance /Work Light An adjustable floodlight fitted above the rear door of the patient compartment to illuminate the area during the stabilisation and loading of a patient.	
28 -C	Window Tinting Frosted Glass	
29 -C	Reverse Alarm A back-up alarm located on the vehicle undercarriage and is activated when the vehicle is placed in reverse.	


ر. مهندسین أقدم
نجم عبد شهوبي
ر. لجنة


ر. مهندسین أقدم
ماجد عزیز جبر
عضو










ر. مهندسین أقدم
محمد عباس حسین
عضو


ر. مهندسین أقدم
مخالد خليل أسماعيل
عضو


ر. مهندسین أقدم
ندیم محمود شاکر
عضو


6/6/2027
ممثل الشركة الجهوية
Taq - Baghdad

**SPECIFICATION DATA CARD FOR
TOYOTA HIACE AMBULANCE- Paramed International
3.5L PETROL MANUAL GEARBOX**

Oxygen System:	<p>30-C 2 Oxygen Outlet -Amico,Canada , on Action Board Area 100% Pressure testing of each outlet and cleaned for medical gas service Indexed to eliminate interchangeability of gas services Universal rough-in assembly to accept Quick Disconnects or DISS front adapters (Can be interchanged at any time)</p> <p>31-C 2 Oxygen Regulator with Manometer Brass body with Chrome Nickel cover for higher resistance Equipped with 315 bar easy readable gauge. Equipped with brass filter in inlet connection to prevent entry of any germs up to 20 micron.</p>	 
32 -C	<p>2 Humidifier and Oxygen Flowmeter Flowmeter Flowmeter shows and adjusts the level of outgoing oxygen, adjustment of level of outgoing oxygen is done by a lever on the flowmeter, by turning this lever the oxygen flow can be adjusted between 0 to 15 liter/minute, this level can be seen by means of floating ball.</p> <p>Humidifier In order to humidify the out-going oxygen. The humidifier bottle be filled above the "Lower Level" and less than the "Upper Level" indexes with distilled water and connect it to the flowmeter plus check for proper connection.</p>	
33-C	<p>Oxygen Cabinet with windows for Cylinders and with cylinder holding bracket</p>	
34-C	<p>Oxygen Cylinder Exchange Valve</p>	
35-C	<p>Oxygen Pressure Gauge</p>	
36-C	<p>Oxygen System related hoses</p>	
37 -C	<p>2x I.V. Hooks (2) pieces heavy-duty double fold down anti-sway I.V. hooks with Velcro straps attached to the ceiling One IV Hooks holds 2 bag of IV Fluids.</p>	

ر. مهندسين أقدم
نجم عبد شهبوي
ر. لجنة

ر. مهندسين أقدم
ماجد عزيز جبر
عضو


ر. مهندسين أقدم
محمد عباس حسين
عضو

ر. مهندسين أقدم
مخلد خليل أسماعيل
عضو

ر. مهندسين أقدم
نديم محمود شاكر
عضو


6/6/2021
ممثل الشركة الأجهزة
[Signature]


**SPECIFICATION DATA CARD FOR
TOYOTA HIACE AMBULANCE- Paramed International
3.5L PETROL MANUAL GEARBOX**

38 -C	<p>Windows and markings of the ambulance body: MARKINGS: Reflective Sticker : RED CRESCENT Mark with Ambulance Writing (Front writing in reverse) Frosted Glass -Side Door and Tail Door glass with frost color</p>
39 -C	<p>2x Fire Extinguishers: 2kgs. At back cabin and at the driver's cabin <i>Steel cylinder of high quality by means of deep drawing and painted with corrosive polyester paint (powder coating) This 2kg Portable Dry Powder fire extinguishers is effective on class A,B,C, & E fires and it is ideal for multi risk fire. Secure with mounting bracket</i></p> 
40 -C	<p>Emergency Hammer with Seat Belt Cutter <i>Hammer for broke the car window in emergency time, Cutting knife to cut down the safety belt, with holder to fix in the car.</i></p>
41 -C	<p>Grab Handle -Turkey <i>Black Grab Handle or hand rail install at entrance to the sliding door</i></p>


3- Standard Medical Equipments:

Main Stretcher:


 ر. مهندسين أقدم
 نجم عبد شهوبي
 ر. لجنة


 ر. مهندسين أقدم
 ماجد عزيز جبر
 عضو


 ر. مهندسين أقدم
 محمد عباس حسين
 عضو


 ر. مهندسين أقدم
 نديم محمود شاكر
 عضو

6/6/2027
 ممثل الشركة المحيطة
 Sarda...
 Iraq - Baghdad

**SPECIFICATION DATA CARD FOR
TOYOTA HIACE AMBULANCE- Paramed International
3.5L PETROL MANUAL GEARBOX**

1 -M
MARK II) -

Roll-in Chair Cot (CAVALIER,

**Automatic Loading
with 10G Crash Test EN 1789
& EN 1865**

Specifications: Length: 192cm
(unfolded) Width:
52cm; Cot Height: Max: 80cm Min:
20cm ;
Loading Height: 64cm Chair Height:
140cm;Chair
Depth: 114cm ;Weight: 32kg Load
Limit: 180kg The latest Stretcher for
increased speed. Ease of transfer of
patient and is changeable to a
Chair,with polymeric material on
stretcher surfaces for comfort,
attractiveness and longer
durability.Comes with a foam
mattress situated above the
Polymeric Board.With adjustable
backrest position, swing down side
arms,with undercarriage safety lock.
Comes with set of three (3) restraints for
patient andwith front and rear fixing
system. Carries 2 years Warranty
Manufactured in accordance with EN
1865 and
EN 1789 WITH IV POLE



NOTE: Installation of Platform for Stretcher

Central Oxygen System :

2 -M **2 Oxygen Cylinders, Steel, 10L with Valve**

Specification: Size: 10L Oxygen Medical
Cylinders made of Steel , valve comes with
safety pin for additional security

ر. مهندسين أقدم
نجم عبد شهبوي
ر. لجنة

ر. مهندسين أقدم
ماجد عزيز جبر
عضو

ر. مهندسين أقدم
محمد عباس حسين
عضو

ر. مهندسين أقدم
مخلد خليل أسماعيل
عضو

ر. مهندسين أقدم
نديم محمود شاكر
عضو



**SPECIFICATION DATA CARD FOR
TOYOTA HIACE AMBULANCE- Paramed International
3.5L PETROL MANUAL GEARBOX**

Central Suction System :

3 -M On-Board/Internal Suction Pump with Suction Gauge,Regulator and 1Ltr Autoclavable Suction Jar
Jar
-Equipped with vacuum outlet and 1Ltr. Autoclavable Suction Jar

4 -M **Portable Suction PS154A,
Rechargeable (AC/DC)
(with Wall Bracket, Suction Pump-Italy
Suction Gauge- Austria)
Constructed in Accordance with IEC 60t
ISO 10079-1**
*Specification: Dimensions: H: 28cm x W:
32cm x D13cm Weight: 6kg Vacuum: -0.80
bar (at sea level) Displacements: 20lit/min
Collection Capacity 1000ml . Equipped with
rechargeable battery, low battery alarm,
battery indicator and other advance
feasibilities. With Autoclaveable suction
jar,antibacterial filter and silicon tubes.
Maintenance-free vacuum pump*



5 -M **WALL MOUNTED VISO BUMPER
Aneroid sphygmomanometer with large
dial and protection- Spencer,Italy**
*Specific features
Dial with protection
Spiral connection pipe to
sphygmomanometer to avoid obstacles
while using in confined spaces Dial wit
numbering at 20mmHg and division of 2
mmHg
Compartment for housing the cuff and any small
accessories
Integrated elastic band in the
compartment to prevent the leakage
of the accessories Cuff with
indications direction of application*



6 -M **Stethoscope** : Dual Head chest piece for adult
Ø47mm membrane sensitive for collecting sound
Aluminum Alloy chest piece used for auscultating
of slight and low frequency sound Standard single
black PVC tube.


ر. مهندسين أقدم
نجم عبد شهوبي
ر. لجنة

ر. مهندسين أقدم
ماجد عزيز جبر
عضو

ر. مهندسين أقدم
محمد عباس حسين
عضو

ر. مهندسين أقدم
مخاد خليل أسماعيل
عضو

ر. مهندسين أقدم
نديم محمود شاكر
عضو



**SPECIFICATION DATA CARD FOR
TOYOTA HIACE AMBULANCE- Paramed International
3.5L PETROL MANUAL GEARBOX**

7 -M Emergency and resuscitation bag, 50 persons with below specifications:

Emergency Bag made of heavy duty water proof fabric. Lightweight, Heavy duty and washable.

DIM: (L:52cm, W:34cm, H:20cm)

With external pockets, Nonslip, removable and adjustable shoulder strap, Supplied with:

- a. Oxygen cylinder (2L) with regulator**
- b. Manual resuscitator (Silicon Resuscitator Set with Mask and Tubings Size: Adult)**
- c. Laryngoscope, 3 Blade + Handle with batteries**
- d. Air way kit in different sizes (in 5 sizes)**



e. Upper Arm Automatic Digital

Sphygmomanometer -Germany

- f. Ice packs (Qty. 5)**
- g. Gauze pads with various sizes (10 cmx10cm), (7.5x7.5), (5x5)**
- h. Light pen with changeable (AAA) Battery**
 - i. Triangular bandages**
 - j. Gauze bandages with various size: 4mx 4cm, 4mx6cm, 4mx10cm**
 - k. Medical shear (Q: 2)**
 - l. Artery forceps (Q:2)**
 - m. Medical plaster**
 - n. Surgical disposal face mask (Q:10)**
 - o. Eye pad (Q: 10)**
 - p. Scissors**
 - q. Endotracheal Tubes in 3 sizes (1pc of each size)**





q. Manual Suction VACAID

Specifications: Dimension: 185mm x 180mm x 60mm


Weight:

210g Vacuum: -0.50bar Collection Capacity : 250ml



ر. مهندسين أقدام
نجم عبد شهوبي
ر. لجنة


ر. مهندسين أقدام
ماجد عزيز جبر
عضو


ر. مهندسين أقدام
محمد عباس حسين
عضو





ر. مهندسين أقدام
مخلد خليل أسما عيل
عضو



ر. مهندسين أقدام
نديم محمود شاكر
عضو



Sarder Cars & M.T. Ltd.
Iraq - Baghdad


**SPECIFICATION DATA CARD FOR
TOYOTA HIACE AMBULANCE- Paramed International
3.5L PETROL MANUAL GEARBOX**

4- Additional Medical Equipment: (as per requirements)

8- -M	<p>Primedic Heart Save AED-M (Germany) Specification: Monitor Dimensions: 95mm x 72mm Monitor Model: LCD, blue mode , Impulse Shape: Biphasic current-controlled impulses, external (CCD) Energy: 50-360J according to patient impedance DIMENSIONS: 25x28x9cm</p>	
9 -M	<p>Portable Glucometer with Teststrips and Lancet 110.00 Specifications: Available with the following components as a standard kit version: Meter, Test strips (10), Accu-Check lancing device with 10 lancets, Carry case and User manual. Easy-to-learn and easy-to-use with intuitive icons and simple two-button navigation. The large display and numbers make it a smart choice. Fast and accurate results: The meter requires no more than 5 seconds to measure and deliver results that correlate with a lab test¹. Pre-meal and post-meal flagging of glucose levels make it easy to differentiate from other results</p>	
10 -M	<p>Portable Nebulizer Myneb Accessories: Fasterjet nebulizer (polypropylene), nosepiece (polypropylene), mouthpiece (polypropylene), adult mask (pvc deph free), child mask (pvc deph free), air tube (pvc deph free), spare filters (2 pcs.), carrying case, multi voltage charger unit, a power cord and a power cord 12V plug. Nebulizer technical data: It has 16 ml capacity. Respirable volume at <math><5 \mu\text{m}</math> 80%. Mmad (mass median aerodynamic diameter) 3.15 μm. Neb rate 0.45 ml/min. Residual volume 0.7 ml. 3 Years Guaranteed.</p>	


ر. مهندسین أقدم
نجم عبد شهوبي
ر. لجنة






ر. مهندسین أقدم
ماجد عزیز جبر
عضو



ر. مهندسین أقدم
محمد عباس حسین
عضو


ر. مهندسین أقدم
مخلد خليل أسماعیل
عضو


ر. مهندسین أقدم
ندیم محمود شاکر
عضو


**SPECIFICATION DATA CARD FOR
TOYOTA HIACE AMBULANCE- Paramed International
3.5L PETROL MANUAL GEARBOX**

11 -M	<p>Fingertip Oximeter -Germany <i>Specifications: One button control easy to use for different finger sizes (children, adults) , supplied with protection sleeve and display with 6 perspective views , screen brightness can be change, pulse rate displayed as a histogram . Compact, small lightweight and portable comes with storage bag lanyard.</i></p>	
12 -M	<p>Dead Body/CorpseBags</p>	
13 -M	<p>Cervical Collar Set Size: Child & Adult <i>Specifications: Single piece flat design enables fast and easy application with color coded Velcro closures, X-ray transparent HDPE material, large chin support foam padding, with large tracheal opening for intubation, rear ventilation panel. Easy to clean material</i></p>	
14 -M	<p>Flex-All Splint (Orange) (5pcs) <i>Specifications: Offers numerous applications because of its length. Fold, mould, bend, curve and cut it to suit your desired length and configuration in any part of the patient's body . Lightweight, waterproof and radiolucent.</i></p>	
15 -M	<p>Vacuum Splint Set with pump, carrying bag <i>-in 3 Sizes Small, Medium, Large -Materials: Splint: Vinyl/Nylon laminate Filling beads Valve: Vinyl ; Splint Dimensions: Large: 100 x 75cm ; Medium: 70x50cm ; Small: 50x33cm</i></p>	



 ر. مهندسين أقدم
 نجم عبد شهوبي
 ر. لجنة


 ر. مهندسين أقدم
 ماجد عزيز جبر
 عضو





 ر. مهندسين أقدم
 محمد عباس حسين
 عضو



 ر. مهندسين أقدم
 مخلد خليل اسماعيل
 عضو



 ر. مهندسين أقدم
 نديم محمود شاكر
 عضو



 Paramed International
 ممثل الشركة المجهزة
 Iraq - Baghdad


**SPECIFICATION DATA CARD FOR
TOYOTA HIACE AMBULANCE- Paramed International
3.5L PETROL MANUAL GEARBOX**

16 -M	<p>First Aid Kit FA11 <i>Dimensions: Open:Length: 27cm x Width: 4cm x Height: 50cm</i> <i>Folded: Length: 27cm x Width: 7cm x Height: 18cm</i> <i>'Contents: 1x3" adhesive fabric plaster;Surgical Tape;Jelonet; Conforming Gauze 2";Conforming Gauze 3";Elastic Bandage ; Sterile Gauze Pads 2x2; Sterile Gauze Pads 4x4";Abdominal Pad ; Sterile Eyepads; Alcohol Swabs; Triangular Bandage; Emergency Foil Blanket; Sterile Gloves; Wooden Depressor;Safety Pins ; Plastic Forceps;Thermometer;CPR Mask Key Style;Fingertip Bandage;Bandage Scissors and First Aid Guide</i></p>	
17 -M	<p>Combination Chair Stretcher CS-1 <i>Specifications:Dimension Stretcher Length: 185cm Chair Height: 134cm chair Width: 54cm Storage Length: 97cm Maximum Load Capacity: 160kg , Bifunctional transportation device: a stair chair and a stretcher, fold in half for compact storage, features a high back chair design that supports the patient's head so the EMT can maintain proper posture when moving the patient , stationary or hinged 4' wheels enable easy movement over most surfaces</i></p>	
18 -M	<p>XTRA®Backboard (Allied Healthcare, USA) <i>Specifications: provides the optimal combination of rigidity and x-ray translucence with smooth HDPE surface allow for easy cleaning and disinfecting while fully sealed construction of the XTRA makes it fluid resistant. Dimension: 16"x72"x1.85" Available in Orange Color</i></p>	


 ر. مهندسين أقدم
 نجم عبد شهوبي
 ر. لجنة


 ر. مهندسين أقدم
 ماجد عزيز جبر
 عضو


 ر. مهندسين أقدم
 محمد عباس حسين
 عضو


 ر. مهندسين أقدم
 مخلد خليل أسماعيل
 عضو


 ر. مهندسين أقدم
 نديم محمود شاكر
 عضو



 ممثل الشركة المحيطة
 2022


**SPECIFICATION DATA CARD FOR
TOYOTA HIACE AMBULANCE- Paramed International
3.5L PETROL MANUAL GEARBOX**

19 -M Head Immobilizer with Head and Chin Straps


Specifications: Lightweight, compact and compatible to any types of Spinal boards , Purely metal-free design Clear diagnosis under X-ray, CT Scan, MRI with earholes for monitoring convenience




ر. مهندسين أقدم
نجم عبد شهوبي
ر. لجنة


ر. مهندسين أقدم
ماجد عزيز جبر
عضو


ر. مهندسين أقدم
محمد عباس حسين
عضو


ر. مهندسين أقدم
مخلد خليل أسماعيل
عضو


ر. مهندسين أقدم
نديم محمود شاكر
عضو


04/2022
ر. مهندسين أقدم
نديم محمود شاكر